GRAPHOIDAL

Multi-Cycle Lubrication Control Centre

A forming machine lubrication control centre which offers up to 18 separately timed lubrication outputs to optimise mechanism lubrication and oil consumption by zoning the IS Machine and lubricating each zone on a different time period from only one oil tank and pump.

From a single point, the system provides multiple lubricant outputs/zones, supplying oil to different groups of mechanisms, with independent cycle times for each output.

This enables differing cycle time settings for different mechanisms such as section mounted, plunger, the feeder, the shear, the machine conveyor and

ware handling elements of the forming area.


- Independent digital timer control per zone/output.
- Reduced oil consumption.
- Alarm monitoring of each zone/output.
- Online display of zone/ output lubrication cycles.
- Digital flow metering for oil consumption analysis (Optional)





Conventional Setup






Single Pump Configuration

- Lubricates all areas of the machine on the same time cycle regardless of requirements.
- High Oil Consumption.
- High operating costs.

Multiple Pump Configuration


- Feeds one mechanism per lubrication system.
- Multiple pumps needed.
- High risk attached, potentially resulting in lost production.
- High maintenance cost.
- Loss of floor space.





Multi Zone Lubrication System





- By splitting up the IS Machine into individual zones, it meets the true lubrication requirements of mechanisms.
- Each zone is lubricated to its optimum cycle.
- Reductions in lubricant consumption of over 50% have been achieved.
- Extensive alarm functions.

Typical Oil Consumption of Graphoidal Multi Zone Lubrication System vs a Single Pump Traditional System


	Standard Single Pump System	Graphoidal System
Total number of injectors	775	775
Volume of oil per operation/injector	0.131 cc's	0.131 cc's
Minutes between lubrication cycles	12	Variable by zone
Total litres of oil used per hour	0.51	0.22
Total litres per 24 hours	12.18	5.33
Total litres per week	85.28	37.32
Total litres per year	4,446.80	1,946.09

Oil Consumption is Reduced by: 2,500 Litres per Year



Independently Alarmed Lubrication Zones





Multi Lubrication Centre Options



Additional oil tank for a second oil type.



Auto fill feature for automatic oil top up.

Graphoidal Developments Ltd.

Broombank Road

Chesterfield S41 9QJ

England

Phone: +44 (0) 1246 266000

Fax: +44 (0) 1246 269269

Email: sales@graphoidal.com

